

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>				1. CONTRACT ID CODE		PAGE 1 OF 2 PAGES	
2. AMENDMENT/MODIFICATION NO. 0003		3. EFFECTIVE DATE 16 Sep 1998		4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO. (If applicable)	
6. ISSUED BY  Department of the Army Corps of Engineers Fort Worth District		CODE		7. ADMINISTERED BY (If other than Item 6)		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)				(✓)		9A. AMENDMENT OF SOLICITATION NO. DACA63-98-B-0045	
				✗		9B. DATED (SEE ITEM 11) 21 August 1998	
						10A. MODIFICATION OF CONTRACTS/ORDER NO.	
						10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					

**11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS**

☒ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☒ is extended, ☐ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

**13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**

(✓)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER (Specify type of modification and authority)

**E. IMPORTANT:** Contractor ☐ is not, ☐ is required to sign this document and return \_\_\_\_\_ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

The Solicitation for CONSOLIDATED CRASH / FIRE RESCUE STATION, KELLY AIR FORCE BASE, SAN ANTONIO, TEXAS, is amended as follows:

See Continuation Sheet(s)

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
_____ (Signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)	

Item 14. Continued.

a. Standard Form 1442, First Page, Item 13A.- Change the bid opening date from "21 September 1998" to "23 September 1998."

b. Specifications.- Amendment No. 0001 reissued the following sections but they failed to get attached to the amendment. In lieu of reissuing the sections, the following changes were made in the sections:

(1) 02720, STORM-DRAINAGE SYSTEMS:

Paragraph 2.1.1.1 Non-Reinforced Pipe: Delete

Paragraph 2.1.2 Clay Pipe: Delete

Paragraph 2.1.6.1 Type PSM PVC Pipe: Delete

Paragraph 3.2.2 Clay Pipe: Delete

Paragraph 3.3.1: Change title as follows: "Concrete, ~~Clay~~, PVC, Ribbed PVC and Ductile Iron Pipe."

Paragraph 3.4.1: Change title as follows: "Concrete ~~and Clay~~ Pipe."

(2) 02932, ESTABLISHMENT OF TURF:

(a) Paragraph 3.10.1 Seeding: In the second sentence, change "13.6 kg" to "45 kg" and change "27.5 kg" to "34 kg".

(b) Add the following paragraph:

"3.9.3 Solid Sodding

The areas to be solid sodded shall be excavated to a sufficient depth so that the top of the sod when set in place will be from 13 mm to 25 mm below the surrounding soil at the outer edges of the solid sodded area. Sod shall be laid smooth, edge to edge, with staggered joints. sod shall be immediately pressed firmly into contact with the sod bed by hand tamping with an approved hand tamper to eliminate air pockets. A true and even surface shall be provided, to insure knitting without displacement of the sod or deformation of the surfaces of the sodded areas. Following compaction, screened soil of good quality shall be used to fill all cracks, and excess soil shall be worked into the grass with rakes or other suitable equipment. Grass shall not be smothered with excess fill soil."

(3) 02940, MULCHING FOR EROSION CONTROL:

Paragraph 3.6.1 Applying Mulch:

In the first sentence change "3.18 metric tons" to "7.8 metric tons".

Paragraph 3.6.1.1 Mulching Prior To Planting:

In the first sentence change "3.18 metric tons" to "7.8 metric tons".

(4) 15400, PLUMBING, GENERAL PURPOSE:

Paragraph 3.10 PLUMBING FIXTURE SCHEDULE: For the P-8 Service Sink, change the first subparagraph "Enamel cast ... deep." to read as follows:

"Enameled cast iron \-ASME A112.19.1M-\, corner, 711.2 mm (28 inches) square floor mounted, 171.5 mm (6-3/4 inches) deep."

END OF AMENDMENT NO. 0003